

# hx<sub>2</sub>™ Hard Surface Disinfectant Towelettes

hx2 Hard Surface Disinfectant Towelettes are designed specifically as a general non-acid cleaner and disinfectant for use in hospitals, nursing homes, schools, hotels and restaurants as well as for use in industrial and institutional food processing establishments. It is formulated to disinfect hard non-porous, inanimate surfaces such as floors, walls, metal surfaces, stainless steel surfaces, porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs and cabinets.

## BACTERICIDAL ACTIVITY

When used as directed, hx2 Towelettes exhibit effective disinfectant activity against the organisms when the treated surface is allowed to remain wet for **3 minutes**:

<i>Staphylococcus aureus</i> ,
<i>Salmonella (choleraesuis) enterica</i> ,
<i>Pseudomonas aeruginosa</i> ,
<i>Escherichia coli</i> ,
<i>Escherichia coli</i> 0157:H7,
<i>Corynebacterium ammoniagenes</i> ,
<i>Enterococcus faecium</i> ,
<i>Listeria monocytogenes</i> ,
<i>Yersenia enterocolitica</i> ,
<i>Salmonella (typhi) enterica</i> ,
Vancomycin resistant <i>Enterococcus faecalis</i> ,
Vancomycin intermediate resistant <i>Staphylococcus aureus</i> (VISA),
Methicillin resistant <i>Staphylococcus aureus</i> ,
<i>Streptococcus pyogenes</i> (Necrotizing Fasciitis),
Methicillin resistant <i>Staphylococcus epidermidis</i> (MRSE),
Community Associated Methicillin Resistant <i>Staphylococcus aureus</i> (CA-MRSA)

## \*VIRUCIDAL ACTIVITY

When used on environmental, inanimate, non-porous surfaces, hx2 exhibits effective virucidal activity against the following viruses with a contact time:

2-minutes	10-minutes
HIV-1 (assoc. with AIDS)	Influenza A (H1N1)
	Norovirus (Norwalk virus)
	Feline Calicivirus

## MYCOBACTERICIDAL ACTIVITY

hx2 Towelettes exhibits disinfectant efficacy against *Mycobacterium terrae* when the treated surface is allowed to remain wet for **5 minutes**.

## FUNGICIDAL ACTIVITY

When used on environmental, inanimate, non-porous surfaces, hx2 Towelettes exhibit effective fungicidal activity the pathogenic fungi *Trichophyton mentagrophytes* when the treated surface is allowed to remain wet for **10 minutes**.



## PRODUCT AVAILABILITY

160 wipes . . . . .	#61164
160 wipe refill roll . . . . .	#61164R

Made in Canada with domestic and imported parts

The information provided is given in good faith and believed to be accurate, but no warranty or guarantee is given or implied. Conditions of use under which the product is being applied will vary from the conditions of normal laboratory efficacy testing.

MP-REF-61164B  
Rev.1: 2019-11-11

# hx<sup>2</sup>™ Hard Surface Disinfectant Spray

hx2 is designed specifically as a general non-acid cleaner and disinfectant for use in hospitals, nursing homes, schools, hotels and restaurants as well as for use in industrial and institutional food processing establishments, kennels, veterinarians and animal hospitals. It is formulated to disinfect hard non-porous, inanimate surfaces such as floors, walls, metal surfaces, stainless steel surfaces, porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs and cabinets.

## BACTERICIDAL ACTIVITY

When used as directed, hx2 exhibits effective disinfectant activity against the organisms when the treated surface is allowed to remain wet for **3 minutes**:

*Staphylococcus aureus*,  
*Salmonella (choleraesuis) enterica*,  
*Pseudomonas aeruginosa*,  
*Escherichia coli*,  
*Escherichia coli* 0157:H7,  
*Corynebacterium ammoniagenes*,  
*Enterococcus faecium*,  
*Listeria monocytogenes*,  
*Yersenia enterocolitica*,  
*Salmonella (typhi) enterica*,  
Vancomycin resistant *Enterococcus faecalis*,  
Vancomycin intermediate resistant *Staphylococcus aureus* (VISA),  
Methicillin resistant *Staphylococcus aureus*,  
*Streptococcus pyogenes* (Necrotizing Fasciitis),  
Methicillin resistant *Staphylococcus epidermidis* (MRSE),  
Community Associated Methicillin Resistant *Staphylococcus aureus* (CA-MRSA)

## \*VIRUCIDAL ACTIVITY

When used on environmental, inanimate, non-porous surfaces, hx2 exhibits effective virucidal activity against the following viruses with a contact time:

1-minute	2-minutes	3-minutes	10-minutes
HIV-1 (assoc. with AIDS)	Avian Influezna A Strain H3N2	Paramyxovirus (Mumps)	Canine Parvovirus
Hepatitis B Virus (HBV)	Avian Influezna A Strain H9N2	Rotavirus	Poliovirus type 1
Hepatitis C Virus (HBC)	Human Coronavirus	Rhinovirus type 39	Hepatitis A Virus (HAV)
Rabies Virus	SARS associated Coronavirus		
Norovirus (Norwalk virus)			
Feline Calicivirus			

## MYCOBACTERICIDAL ACTIVITY

hx2 exhibits disinfectant efficacy against *Mycobacterium terrae* when the treated surface is allowed to remain wet for **5 minutes**.

## FUNGICIDAL ACTIVITY

When used on environmental, inanimate, non-porous surfaces, hx2 exhibits effective fungicidal activity the pathogenic fungi *Trichophyton mentagrophytes* when the treated surface is allowed to remain wet for **10 minutes**.



## PRODUCT AVAILABILITY

4 L jug . . . . . #60019  
700 mL empty refill spray bottle . . . . . #60018

**Made in Canada with domestic and imported parts**

The information provided is given in good faith and believed to be accurate, but no warranty or guarantee is given or implied. Conditions of use under which the product is being applied will vary from the conditions of normal laboratory efficacy testing.

MP-REF-60018B  
Rev.1: 2019-11-11